


Time Attendance & Access Control Terminal ULtraACR802F



UltraACR802F is a slim and durable biometric attendance & access control terminal designed for secure and efficient entry management. Featuring a high-performance capacitive fingerprint sensor, it delivers fast, accurate authentication with enhanced resistance to fingerprint spoofing and extended sensor life. Supporting Fingerprint and RFID Card verification, it provides flexible access control for a wide range of applications.

Built with a premium metallic housing, touch keypad, and an IP65-rated weatherproof design.

UltraACR802F is ideal for both indoor and outdoor installations. Its compact slim-profile design allows easy installation on narrow door frames, making it a reliable solution for offices, residential buildings, commercial facilities, and industrial sites.

Verification & Features



Fingerprint



Password



Card



Access Control

Technical Specification

Basic	
Working Mode	Online/ Offline
Algorithm	3.0
Verification Method	Finger, Card, PIN
Fingerprint Capacity	5,000
Card Capacity	5,000
PIN Capacity	5,000
Record Capacity	1,00,000
Verification Speed	≤1.08
Verification Mode	1: N y 1:1
FRR	<0.01%
FAR	<0.0001%
Communication	
Display	2.0-inch TFT color screen
Input	Touch keyboard, T9 input
Language	English
Voice	English
Communication	TCP/IP (LAN), USB disk, WG26/34, RS-485, RS-232
Professional Access Control Function	
Time zone	8 day time zone, 8 week time zone, 5 lock combination and support multiple people verification
Anti-Tamper	Yes
Door Bell	Yes
Door Sensor	Yes
Exit Button	Yes
Lock Signal	1 set relay output
Wiegand Signal	Wiegand
Alarm Signal	2 set signal (anti-tamper/threaten/ door open/force)
Anti pass back	Indoor/Outdoor

Professional Access Control Function

Interlock A/B Doors


Fire Alarm Yes

Other's

Dimension 140*42*18mm

Power Supply DC 12V

Dimension Drawing



Application



Education



Office



Government



Hospital



Bank



Logistics



Factory



Retail

Disclaimer : All pictures shown are for illustration purposes only. The actual product and color may vary due to product enhancement. The brief specification is mentioned and may change without prior notice. Please consult us before placing any order.